



Practitioner's Docket No.: 1179\_019

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Re the application of: Andreas Rogg et al.

Ser. No.: 10/716,244

Art Unit: Not Assigned

Filed: November 18, 2003

Examiner: Not Assigned

For: POLE FOR HAND PALLET TRUCK

Commissioner for Patents  
P.O. Box 1450  
Alexandria, Va 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on December 15, 2003.

*Susanne C. Aregano*  
Susanne C. Aregano

**INFORMATION DISCLOSURE STATEMENT**

Sir:

Pursuant to 37 C.F.R. §1.56 and 37 C.F.R. §§1.97, 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached Form PTO-1449. Copies of each of the references listed on Form PTO-1449 are attached.

The above information is presented so that the Patent and Trademark Office may, in the first instance, determine any materiality thereof to the claimed invention. See 37 C.F.R. §1.104(a) and §1.105 concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that these references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

In compliance with the concise explanation requirement under 37 CFR § 1.98(a)(3) for foreign language documents, Applicant encloses herewith a copy of an English-language version thereof. As to the relevance of the remaining foreign language document, DE 297 10 503 U1, this reference shows a loop-shaped tiller head connected to a tiller rod in a spaced

relation to the outer end of the tiller rod. The control lever is pivotally supported by the end of the tiller rod and can be tilted about an axis perpendicular to the longitudinal axis of the tiller rod. A control lever is located in the space between the end of the tiller rod and the upper end of the loop-shaped tiller head.


As can be seen in Fig. 3, the control lever is associated with a cam roller that cooperates with cam notches in order to releasably lock the control lever in different positions.

The present Information Disclosure Statement is being filed (1) no later than three months from the application's filing date or (2) before the mailing date of the first Office Action on the merits (whichever is later), and therefore no certification under 37 C.F.R. §1.97(e) or fee under 37 C.F.R. §1.17(p) is required.

The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No. 50-0289.

Respectfully submitted,

Wall Marjama & Bilinski LLP

  
Peter J. Bilinski  
Reg. No. 35,067

December 15, 2003  
Date

PJB/sca  
Phone: (315) 425-9000

Customer No.: 20874



Form PTO 1449  
US DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT

Atty Docket No. 1179\_019

Serial No. 10/716,244

Applicant Andreas Rogg et al.

Filing Date November 18, 2003

Group Not Assigned

U.S. PATENT DOCUMENTS

Exam. Initial		Document Number	Date	Name	Class	Sub Class	Filing Date

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Sub Class	Translation	Abstract
	AA	297 10 503	September 25, 1997	DE				
	AB	1 186 511	March 13, 2002	EP			X	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages Etc.)

Examiner		Date Considered

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.